


ILLUMIN8
LIGHTING SOLUTIONS

Portable Site Light

PS-200

Deployable portable lighting in one
bespoke robust package.



**UP TO
6000LM**


Turbo 6,000LM

Standard 3,500LM

Balanced 2,200LM

Eco 600LM

Application



Ultra-long Endurance

Standard Mode Up To **8+** Hours
(D24-100)

Various working modes.



IP66



IK10



Dimmable



360° Lighting



Light-weight



Long Working Hour





Placed on any surface or hung up to provide continuous lighting for complex environments.

2KG

Ultra-lightweight and capable of carrying multiple at once.



360-degree lighting that can illuminate all details even in small spaces.


360° lighting

Specifications

PS-200

Weight	2.0kg (Fitting only)
Power Supply	Battery
Lumens	0 - 6,000Lm
Run Times	>8 hours (Standard mode, D24-100)
IP Grade	IP66
Battery System	D24 Series
Working Temp.	-10℃~50℃
Working Humidity	1~98%

Size (mm)



Package

Model	Size of Carton	Gross Weight of Carton	PCS/Carton
PS-200 D24-54/100	230x250x400mm	3.5KG±5%	PS200x1, D24-54/100x1



ILLUMIN8 LIGHTING SOLUTIONS

Tel: 1800826015

Web: www.illumin8.net.au

E-mail: info@illumin8.net.au

27 Carrington Rd, Toowoomb Queensland 4350 Australia

ILLUMIN8
LIGHTING SOLUTIONS